



RAS | AIS

**HIKVISION**<sup>®</sup>

HIKVISION

29/07/2024

## IP CAMERA'S

### BULLET CAMERA'S

#### 4MP



• 4MP network bullet camera • AcuSense • DarkFighter • 2.8mm fixed lens • IR LED up to 80m • WDR 120dB • IP67 • 12VDC/PoE

HIK-DS-2CD2T46G2-4I28C

+0.124 €Recupel



• 4MP network bullet camera • AcuSense • 2.8mm fixed lens • IR LED up to 80m • WDR 120dB • IP67 • 12VDC/PoE

HIK-DS-2CD2T43G2-4I28

+0.124 €Recupel



• 4MP network mini-bullet camera • AcuSense • 2.8mm fixed Lens • IR LED up to 40m • WDR 120dB • IP67 • 12VDC/PoE

HIK-DS-2CD2043G2-I28

+0.124 €Recupel



• 4MP network mini-bullet camera • AcuSense • DarkFighter • 2.8mm fixed Lens • IR LED up to 40m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2046G2-IU28C/BLACK

+0.124 €Recupel



• 4MP network mini-bullet camera • AcuSense • 2.8mm fixed Lens • IR LED up to 40m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2043G2-IU28/BLACK

+0.124 €Recupel



• 4MP network mini-bullet camera • AcuSense • DarkFighter • 2.8mm fixed Lens • IR LED up to 40m • WDR 120dB • IP67 • 12VDC/PoE

HIK-DS-2CD2046G2-I28C

+0.124 €Recupel



• 4MP network bullet camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 60m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2646G2-IZS28-120C/BLACK

+0.124 €Recupel

# PRO ACUSENSE



• 4MP network bullet camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 60m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2646G2-IZS-0280

+0.124 €Recupel



• 4MP network bullet camera • AcuSense • 2.8-12mm motorized varifocal lens • IR LED up to 60m • WDR 120dB • IP67/IK10 • 12VDC/PoE

HIK-DS-2CD2643G2-IZS28-120

+0.124 €Recupel

## 8MP



• 8MP network bullet camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 60m • WDR 120dB • IP66 • 12VDC/PoE

HIK-DS-2CD2686G2-IZS28-120C

+0.124 €Recupel



• 8MP network bullet camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 60m • WDR 120dB • IP66 • 12VDC/PoE

HIK-DS-2CD2686G2-IZS28-120C-BL  
ACK

+0.124 €Recupel



• 8MP network bullet camera • AcuSense • DarkFighter • 2.8mm fixed lens • IR LED up to 80m • WDR 120dB • IP67 • 12VDC/PoE

HIK-DS-2CD2T86G2-4I28C

+0.124 €Recupel



• 8MP network mini-bullet camera • AcuSense • DarkFighter • 2.8mm fixed Lens • IR LED up to 40m • WDR 120dB • IP67 • 12VDC/PoE

HIK-DS-2CD2086G2-I28C

+0.124 €Recupel



• Bullet • Powered by Darkfighter • Fixed lens • IP67 • 8MP

HIK-DS-2CD2T86G2-2I28C

+0.124 €Recupel



• 8MP panoramische ColorVu bullet netwerk camera

HIK-DS-2CD2T87G2P-LSU/SL-4-C

+0.124 €Recupel

# PRO ACUSENSE



• 8MP panoramische ColorVu bullet netwerk camera

HIK-DS-2CD2T87G2P-LSU/SL-4-C-BLACK

+0.124 €Recupel

## TURRET CAMERA'S

### 4MP



• 4MP network turret camera • AcuSense • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2343G2-IU28

+0.124 €Recupel



• 4MP network turret camera • AcuSense • 2.8-12mm motorized varifocal lens • IR LED up to 40m • WDR 120dB • IP67/IK10 • 12VDC/PoE

HIK-DS-2CD2H43G2-IZS28-120

+0.124 €Recupel



• 4MP network turret camera • AcuSense • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2343G2-IU28/BLACK

+0.124 €Recupel



• 4MP network turret camera • AcuSense • DarkFighter • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2346G2-IU28C/BLACK

+0.124 €Recupel



• 4MP network turret camera • AcuSense • DarkFighter • 2.8-12mm varifocal motorized lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2H46G2-IZS28-120C/BLACK

+0.124 €Recupel



• 4MP network turret camera • AcuSense • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2343G2-IU28

+0.124 €Recupel



• 4MP network turret camera • AcuSense • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2343G2-IU28/BLACK

+0.124 €Recupel

# PRO ACUSENSE



• 4MP network turret camera • AcuSense • DarkFighter • 2.8-12mm varifocal motorized lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2H46G2-IZS28120C

+0.124 €Recupel



• 4MP network turret camera • AcuSense • DarkFighter • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2346G2-IU28C

+0.124 €Recupel

## 8MP



• 8MP network turret camera • AcuSense • DarkFighter • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2386G2-IU-28-C-BLACK

+0.124 €Recupel



• 8MP network turret camera • AcuSense • DarkFighter • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • IP67 • 12VDC/PoE

HIK-DS-2CD2386G2-I28C

+0.124 €Recupel



• 8MP network turret camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2H86G2-IZS28-120C

+0.124 €Recupel



• 8MP network turret camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2H86G2-IZS-28-120-C-BLACK

+0.124 €Recupel



• 8MP panoramische ColorVu turret netwerk camera

HIK-DS-2CD2387G2P-LSU/SL-4-C-BLACK

+0.124 €Recupel



• 8MP panoramic ColorVu fixed turret network camera • 24/7 colorful imaging • Fixed focal lens, dual lens 4mm • White light range 30m • WDR 130dB • Focus on human and vehicle classification based on deep learning • Active strobe light and audio alarm to warn intruders off • IP67 • 12VDC/PoE

HIK-DS-2CD2387G2P-LSU-SL

+0.124 €Recupel

## DOMES VOOR BUITEN

### 4MP



• 4MP network dome camera • AcuSense • DarkFighter • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • Alarm/audio • IP67/IK10 • 12VDC/PoE

HIK-DS-2CD2146G2-ISU28C/BLACK

+0.124 €Recupel



• 4MP network dome camera • AcuSense • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • IP67/IK10 • 12VDC/PoE

HIK-DS-2CD2143G2-I28

+0.124 €Recupel



• 4MP network dome camera • AcuSense • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Alarm/audio • IP67/IK10 • 12VDC/PoE

HIK-DS-2CD2143G2-IS28/BLACK

+0.124 €Recupel



• 4MP network dome camera • AcuSense • DarkFighter • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • Alarm/audio • IP67/IK10 • 12VDC/PoE

HIK-DS-2CD2146G2-ISU28C

+0.124 €Recupel



• 4MP network mini-dome camera • AcuSense • Darkfighter • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Alarm/audio • IP67/IK08 • 12VDC/PoE

HIK-DS-2CD2546G2-IS28

+0.124 €Recupel



• 4MP network dome camera • AcuSense • 2.8-12mm motorized varifocal lens • IR LED up to 40m • WDR 120dB • IP67/IK10 • 12VDC/PoE

HIK-DS-2CD2743G2-IZS28-120

+0.124 €Recupel



• 4MP network dome camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2746G2-IZS28-120C

+0.124 €Recupel



• 4MP network dome camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2746G2-IZS28-120C/BLACK

+0.124 €Recupel

# PRO ACUSENSE

## 8MP



• 8MP network dome camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2786G2-IZS28-120C

+0.124 €Recupel



• 8MP network dome camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2786G2-IZS-28-120-C-BLACK

+0.124 €Recupel

## PTZ CAMERAS

### 4MP



• Dubbele 2,8mm lens en 25x PTZ • Uitstekende prestaties bij weinig licht dankzij DarkFighter en ColorVu technologieën • Uitgebreid nachtzicht met 100m IR-afstand en 30m wit licht • Classificatie van mensen/voertuigen van andere doelen • IP66 • 12VDC/PoE+ • Inclusief HIK-DS-1618ZJ muurbevestiging

HIK-DS-2SE4C425MWG-E-14F0

+0.1 €Recupel

## STAND ALONE RECORDERS

### NVR

#### 8 CH

8CH 1.5U 4K NVR



HIK-DS-7708NI-I4

+0.1 €Recupel

#### 32 CH

• 32CH 1.5U 4K NVR



HIK-DS-7732NI-I4/B

+0.1 €Recupel

## IP CAMERA'S

### BULLET CAMERA'S

#### 4MP



• 4MP ColorVu network bullet camera • AcuSense • 2.8mm fixed lens • White light range 60m • WDR 130dB • IP67 • 12VDC/PoE

HIK-DS-2CD2T47G2-L28C

+0.124 €Recupel



• 4MP ColorVu network bullet camera • AcuSense • 3.6-9mm motorized varifocal lens • White light range 60m • WDR 130dB • IP67/IK10 • 12VDC/PoE

HIK-DS-2CD2647G2-LZS-36-9-0-C

+0.124 €Recupel

### TURRET CAMERA'S

#### 4MP



• 4MP Smart Hybrid Light ColorVu network camera • 2.8mm vaste lens • WDR 130dB • Classificatie van mensen en voertuigen • IP67 • 12VDC/PoE

HIK-DS-2CD2347G2H-LIU-28

+0.124 €Recupel



• 4MP Smart Hybrid Light ColorVu network camera • 2.8mm vaste lens • WDR 130dB • Classificatie van mensen en voertuigen • IP67 • 12VDC/PoE

HIK-DS-2CD2347G2H-LIU-28/BLACK

+0.124 €Recupel

#### 8MP



• 8MP ColorVu Strobe Light & Audible Warning Turret Network Camera 2.8mm Black

HIK-DS-2CD2387G2-LSU-SL-28-C-BLACK

+0.124 €Recupel

### DOMES VOOR BUITEN

#### 8MP



• 8MP Smart Hybrid Light ColorVu Motorized PTRZ Varifocal Dome Network Camera

HIK-DS-2CD2787G2H-LIPTRZ2U/SL-28MM

+0.1 €Recupel



## STAND ALONE RECORDERS

### NVR POE

#### 4CH/4POE



- 4-kanaals AcuSense NVR met 4x PoE • H.265+/H.265/H.264+/H.264 videoformaten • Tot 1-kanaal@12MP of 2-kanaals@8MP of 4-kanaals@4MP decoderingscapaciteit • Tot 40Mbps inkomende bandbreedte • 1x HDMI (4K)/1x VGA (1080p) video uitgangen • 1 SATA max. 10Tb

HIK-DS-7604NXI-K1/4P

+0.1 €Recupel

#### 8CH/8POE



- H265+ NVR • Up to 8CH 12MP IP cameras • 2 SATA • POE

HIK-DS-7608NI-I2/8P

+0.1 €Recupel



- H265+ NVR • Up to 8CH 8MP IP cameras • 2 SATA • POE

HIK-DS-7608NI-K2/8P

+0.1 €Recupel



- 8CH 1U 8POE AcuSense 4K NVR

HIK-DS-7608NXI-I2/8P/SC

+0.1 €Recupel



- NVR 8-kanaals IP camera + 8 PoE-poorten • AI-geclassificeerde objectdetectie en zoekfunctie (personen en voertuigen) • Gezichtherkenning (zie specs) • H.265+/H.265/H.264+/H.264 video formats • Locale weergave capaciteit 2CH@12 MP of 3CH@8 MP of 6CH@4 MP of 12CH@1080p • Max. 80Mbps opname bandbreedte • HDMI (4K) en VGA (tot 1080p) video uitgangen (onafhankelijk) • Alarm 4IN/4OUT • 2 SATA (max. 10Tb per HDD)

HIK-DS-7608NXI-K2/8P

+0.1 €Recupel

#### 16CH/16POE



- NVR 16-kanaals IP camera + 16 PoE-poorten • AI-geclassificeerde objectdetectie en zoekfunctie (personen en voertuigen) • Gezichtherkenning (zie specs) • H.265+/H.265/H.264+/H.264 video formats • Locale weergave capaciteit 2CH@12 MP of 3CH@8 MP of 6CH@4 MP of 12CH@1080p • Max. 160Mbps opname bandbreedte • HDMI (4K) en VGA (tot 1080p) video uitgangen (onafhankelijk) • Alarm 4IN/4OUT • 2 SATA (max. 10Tb per HDD)

HIK-DS-7616NXI-K2/16P

+0.1 €Recupel

# PRO NVR

- 16CH 1U 16POE AcuSense 4K NVR



HIK-DS-7616NXI-I2/16P/SC

+0.1 €Recupel

- H265+ NVR • Up to 16CH 8MP IP cameras • 2 SATA • POE



HIK-DS-7616NI-K2/16P

+0.1 €Recupel

- H265+ NVR • Up to 16CH 12MP IP cameras • 2 SATA • POE



HIK-DS-7616NI-I2/16P

+0.1 €Recupel

## 32CH/16POE

- 32-kanaals 4K AcuSense NVR met 16 PoE poorten



HIK-DS-7732NXI-I4/16P/S/E

+0.1 €Recupel

## NVR

### 8 CH



- NVR 8-kanaals IP camera • AI-geclassificeerde objectdetectie en zoekfunctie (personen en voertuigen) • Gezichtherkenning (zie specs) • H.265+/H.265/H.264+/H.264 video formats • Locale weergave capaciteit 2CH@12 MP of 3CH@8 MP of 6CH@4 MP of 12CH@1080p • Max. 80Mbps opname bandbreedte • HDMI (4K) en VGA (tot 1080p) video uitgangen (onafhankelijk) • Alarm 4IN/4OUT • 2 SATA (max. 10Tb per HDD)

HIK-DS-7608NXI-K2

+0.1 €Recupel

### 16 CH



- NVR 16-kanaals IP camera • AI-geclassificeerde objectdetectie en zoekfunctie (personen en voertuigen) • Gezichtherkenning (zie specs) • H.265+/H.265/H.264+/H.264 video formats • Locale weergave capaciteit 2CH@12 MP of 3CH@8 MP of 6CH@4 MP of 12CH@1080p • Max. 160Mbps opname bandbreedte • HDMI (4K) en VGA (tot 1080p) video uitgangen (onafhankelijk) • Alarm 4IN/4OUT • 2 SATA (max. 10Tb per HDD)

HIK-DS-7616NXI-K2

+0.1 €Recupel

### 32 CH



- 32-kanaals 4K AcuSense NVR

HIK-DS-7732NXI-K4

+0.1 €Recupel

## CLOUD STORAGE

### CLOUD STORAGE CLOUD






- Cloud Storage • Up to 8-ch cloud storage with Hikvision cameras or DVRs/NVRs • Cloud storage videos support ANR (Automatic Network Replenishment) • Hik-ProConnect Platform • Manageable by Hik-ProConnect platform • Cloud storage videos support remote playback

HIK-DS-6700NI-S

## BI-SPECTRUM CAMERA'S





### BULLET CAMERA'S

#### **256X192**

	<ul style="list-style-type: none"> <li>• Thermische &amp; optische bi-spectrum bullet netwerkcamera 256x192 9.7mm 18.0° (H) × 13.5° (V)</li> </ul>	HIK-DS-2TD2628-10-QA	+0.1 €Recupel
	<ul style="list-style-type: none"> <li>• Thermische &amp; optische bi-spectrum netwerk bullet camera</li> </ul>	HIK-DS-2TD2628-3-QA	+0.1 €Recupel
	<ul style="list-style-type: none"> <li>• Thermische &amp; optische bi-spectrum camera 256x192 7mm 24.9° (H) × 18.7° (V)</li> </ul>	HIK-DS-2TD2628-7-QA	+0.1 €Recupel

### TURRET CAMERA'S

#### **256X192**

	<ul style="list-style-type: none"> <li>• Thermische &amp; optische bi-spectrum turret netwerkcamera 256x192 3.6mm 50.0° (H) x 37.3° (V)</li> </ul>	HIK-DS-2TD1228-3-QA	+0.1 €Recupel
	<ul style="list-style-type: none"> <li>• Thermische &amp; optische bi-spectrum turret netwerkcamera 256x192 6.9mm 24.9° (H) x 18.7° (V)</li> </ul>	HIK-DS-2TD1228-7-QA	+0.1 €Recupel
	<ul style="list-style-type: none"> <li>• Thermische &amp; optische bi-spectrum turretnetwerk camera 256x192 2.1mm 117.8° (H) × 70.4° (V)</li> </ul>	HIK-DS-2TD1228-2-QA	+0.1 €Recupel
	<ul style="list-style-type: none"> <li>• Thermische &amp; optische bi-spectrum netwerk turret camera</li> </ul>	HIK-DS-2TD1228-2-QA-BLACK	+0.1 €Recupel

# TRANSMISSION & DISPLAY

## KEYBOARDS



- Network keyboard

HIK-DS-1600KIB

+0.1 €Recupel



- USB keyboard

HIK-DS-1005KI

+0.1 €Recupel



- Network keyboard

HIK-DS-1200KI

+0.1 €Recupel

## MONITOREN

### MONITOREN



- 54.6" LED backlight monitor 4K 3840x2160 • 1 HDMI/1 DP/1 VGA • 450 cd/m<sup>2</sup> • VESA 4xM6-10mm 400mmx400mm • 24/7 operation

HIK-DS-D5055UC-C

+1.405 €Recupel



- 42.5" LED backlight monitor full HD 1920x1080 • 1 HDMI/1 VGA • 360 cd/m<sup>2</sup> • VESA M4 200mmx200mm • 24/7 operation

HIK-DS-D5043QE

+1.405 €Recupel



- 31.5" LED backlight monitor full HD 1920x1080 • 1 HDMI/1 VGA • 300 cd/m<sup>2</sup> • VESA M4 100mmx100mm • 24/7 operation

HIK-DS-D5032QE

+1.405 €Recupel



- 27" LED backlight monitor 4K 3840x2160 • 1 HDMI/1 DP • 350 cd/m<sup>2</sup> • VESA 4-M4x10mm 100mmx100mm • 24/7 operation

HIK-DS-D5027UC

+1.405 €Recupel

# TRANSMISSION & DISPLAY



• 27" LED backlight monitor full HD 1920x1080 • 1 HDMI/1 VGA • 300 cd/m<sup>2</sup> • VESA M4 100mmx100mm • 24/7 operation

HIK-DS-D5027FN/EU

+1.405 €Recupel



• 23.8" LED backlight monitor full HD 1920x1080 • 1 HDMI/1 VGA • 250 cd/m<sup>2</sup> • VESA M4 100mmx100mm • 24/7 operation

HIK-DS-D5024FN/EU

+1.405 €Recupel



• 42.5" LED backlight monitor 4K 3840x2160 • 2 HDMI/1 VGA • 400 cd/m<sup>2</sup> • VESA 200mmx200mm/400mmx400mm • 24/7 operation

HIK-DS-D5043UC

+1.405 €Recupel



• 18.5" LED backlight monitor 1366x768 • 1 HDMI/1 VGA • 200 cd/m<sup>2</sup> • VESA 4-M4 75mmx75mm • 24/7 operation

HIK-DS-D5019QE-B/EU

+1.405 €Recupel



• 21.5" LED monitor Full HD 1920x1080 • 1 HDMI/1 VGA/1 CVBS • 250 cd/m<sup>2</sup> • VESA 4-M6 75mmx75mm

HIK-DS-D5022FC-C

+1.405 €Recupel



• 23.8" LED monitor full HD 1920x1080 • 1 HDMI/1 VGA/1 CVBS • 250 cd/m<sup>2</sup> • VESA M4 75x75mm








HIK-DS-D5024FC-C

+1.405 €Recupel

# TRANSMISSION & DISPLAY

## NETWERKSWITCHES

### UNMANAGED POE NETWORKSWITCH

	<ul style="list-style-type: none"><li>• 8 port fast ethernet unmanaged PoE switch</li></ul>	HIK-DS-3E0310HP-E	+0.124 €Recupel
	<ul style="list-style-type: none"><li>• 4 port fast ethernet unmanaged PoE switch</li></ul>	HIK-DS-3E0106HP-E	+0.124 €Recupel
	8 Port Gigabit Unmanaged PoE Switch	HIK-DS-3E0510P-E/M	+0.124 €Recupel
	<ul style="list-style-type: none"><li>• 8 port Fast Ethernet Unmanaged PoE switch</li></ul>	HIK-DS-3E0310P-E/M	+0.124 €Recupel
	<ul style="list-style-type: none"><li>• 4 port fast Ethernet PoE switch</li></ul>	HIK-DS-3E0106P-E/M	+0.124 €Recupel
	<ul style="list-style-type: none"><li>• 4 ports Fast Ethernet unmanaged PoE switch</li></ul>	HIK-DS-3E0105P-E-M-B	+0.124 €Recupel
	<ul style="list-style-type: none"><li>• 4 port Gigabit Unmanaged PoE switch • Layer 2 • 4x 10/100/1000 Mbps Ethernet ports and 1x 10/100/1000 Mbps uplink Ethernet port • IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, and IEEE 802.3z network standards available • IEEE 802.3 af &amp; at high PoE power supply • Store-and-forward switching • Safe and reliable using 6 KV high surge protection • Plug and play ensures simplicity and convenience</li></ul>	HIK-DS-3E0505P-E	+0.124 €Recupel

# TRANSMISSION & DISPLAY

## MANAGED POE NETWORKSWITCH



- L2 smart managed 24 PoE ports Gigabit / 2 SFP ports Gigabit

HIK-DS-3E1526P-SI

+0.124 €Recupel



- L2 smart managed 8 PoE ports Gigabit / 2 SFP ports Gigabit

HIK-DS-3E1510P-SI

+0.124 €Recupel

## KABELS

### NETWERKKABEL



- UTP CAT5E 305 meters core diameter 0.45mm

HIK-DS-1LN5E-E/E



## 2-DRAADS VIDEOFONIE

### VIDEOFONIE KITS



- Villa 2-draads video intercom kit • Bundle met 1x HIK-DS-KD8003Y-IME2/Surface (buitenpost 2-draads), 1x HIK-DS-KH6320Y-WTE2 (binnenpost 2-draads), 1x HIK-DS-KAD704Y (2-wire IP distributor), 1x HIK-DS-KAW30-2N (voeding adapter), 1x 16GB SD-kaart

HIK-DS-KIS702Y

+0.124 €Recupel



- IP video intercom kit for villa or house, only one call button
- Kit contents 1x DS-KD8003-IME1/Surface mount door station, 1x DS-KH6320-WTE1 value indoor station, 1x 4 port standard PoE switch, 1x 16GB TF card, 1x European power supply adaptor

HIK-DS-KIS602-EUROPE

+0.124 €Recupel



2-Wire HD Villa Video Intercom Kit

HIK-DS-KIS704EY/ALUMINIUM

+0.124 €Recupel

## IP VIDEOFONIE

### VIDEOFONIE KITS



- IP video intercom kit for villa or house, only one call button
- Kit contents 1x DS-KD8003-IME1/Surface mount door station, 1x DS-KH6320-WTE1 value indoor station, 1x 4 port standard PoE switch, 1x 16GB TF card, 1x European power supply adaptor

HIK-DS-KIS602-EUROPE

+0.124 €Recupel



- IP video intercom kit for villa or house, only one call button
- Kit contains 1x HIK-DS-KV6113-WPE1 (2MP HD camera), 1x DS-KH6320-WTE1 value indoor station, 2x PSU

HIK-DS-KIS603-P-B

+0.124 €Recupel

## BINNENPOSTEN



- IP video intercom binnenpost met 7" TFT LCD touchscreen resolutie 1024 x 600p • Toont live video van buitenposten en aangesloten camera's • Ingebouwde luidspreker en omni-directionnelle microfoon • Ondersteunt WIFI of RJ45 • Beeldopslag mogelijk op SD kaart slot (max. 32Gb) • 12VDC/PoE

HIK-DS-KH6320-WTE1-W

+1.405 €Recupel

# VIDEO INTERCOM



- IP video intercom binnenpost met 7" TFT LCD touchscreen resolutie 1024 x 600p • Toont live video van buitenposten en aangesloten camera's • Ingebouwde luidspreker en omni-directionnelle microfoon • Ondersteunt WIFI of RJ45 • Beeldopslag mogelijk op SD kaart slot (max. 32Gb) • 12VDC/PoE

HIK-DS-KH6320-WTE1

+1.405 €Recupel



- 10.1" TFT LCD touchscreen resolutie 1024 x 600p • Toont live video van buitenposten en aangesloten camera's • Ingebouwde luidspreker en omni-directionnelle microfoon • Ondersteunt WIFI of RJ45 • Beeldopslag mogelijk op SD kaart slot (max. 32Gb) • 12VDC/PoE

HIK-DS-KH8520-WTE1-EUROPE-B  
V

+0.124 €Recupel



- Red Dot award 2017 winner • 7" TFT LCD touchscreen resolutie 1024 x 600p, display gemaakt van gehard glas • Toont live video van buitenposten en aangesloten camera's • Ingebouwde luidspreker en omni-directionnelle microfoon • Ondersteunt WIFI of RJ45 • Beeldopslag mogelijk op SD kaart slot (max. 32Gb) • 8CH alarm ingang, 2 alarm uitgang, 1x RS485 • 12VDC/PoE

HIK-DS-KH8350-WTE1

+0.124 €Recupel



- 10.1" TFT LCD touchscreen resolutie 1024 x 600p • Verbonden via Wifi of PoE • Ondersteunt installatie van Android Apps • Open platform voor software-integratie van derden • Video-intercom en liveweergave op mobiele telefoon • Ontvangt 7 seconden videoverificatie van alarmsystemen • Ingebouwde Hik-Connect voor alles-in-één beheer • 12VDC/PoE

HIK-DS-KH9510-WTE1-B-O-STD

+1.405 €Recupel

## DEURBELLEN



- Vandal-Resistant Doorbell

HIK-DS-KB8113-IME1

+0.124 €Recupel

## BUITENPOSTEN MODULAIR



- Toetsenpaneel RVS • Pincode invoeren om deur te openen, binnenpost bellen • IP65/IK07 • Backlight compensatie

HIK-DS-KD-KP-S

+0.124 €Recupel



- Mifare card reader module

HIK-DS-KD-M

+0.124 €Recupel



- RVS naam-tag module met 6 bel drukknoppen

HIK-DS-KD-KK-S

+0.124 €Recupel

# VIDEO INTERCOM



- Toetsenpaneel • Pincode invoeren om deur te openen, binnenpost bellen • IP65/IK07 • Backlight compensatie

HIK-DS-KD-KP

+0.124 €Recupel



- Display module voor modulaire IP video intercom • 3.5" touchpaneel met resolutie 320 x 480p • 4 fysieke knoppen met achtergrondverlichting • Er kunnen tot 2000 contactpersonen worden toegevoegd • Opslag en doorzoeken in contactlijst • Kiest nummer en belt binnenpost met toetsenbordmodule • Ontgrendelt deur met pincode met toetsenbordmodule • Meerdere talen selecteerbaar • Voeding 12VDC vanuit cameramodule • IP65

HIK-DS-KD-DIS

+0.124 €Recupel



- Indicator module • IP65 • 12VDC

HIK-DS-KD-IN

+0.124 €Recupel



- Blank-module

HIK-DS-KD-BK



- Modulair deurstation - Hoofdpost met 2MP HD fisheye kleurencamera met IR • Montagebeugel nodig • 1 belknop, 2 relaisuitgangen, 4 alarmingen • Video-intercom naar binnenpost en hoofdpost • WEB-configuratie • IP65 • 12VDC of standaard PoE • Vermogensuitgang voor elektronisch slot, max. tot 12V, 500mA

HIK-DS-KD8003-IME1/B

+0.124 €Recupel

## TOEBEHOREN VIDEOFONIE

## TOEBEHOREN VIDEOFONIE



- Opbouwframe voor 3 video intercom modules

HIK-DS-KD-ACW3



- RVS opbouwframe voor 2 video intercom modules

HIK-DS-KD-ACW2/S



- RVS opbouwframe voor 1 video intercom module

HIK-DS-KD-ACW1/S

# VIDEO INTERCOM




- Opbouwframe voor 2 video intercom modules

HIK-DS-KD-ACW2



- Opbouwframe voor 1 video intercom module

HIK-DS-KD-ACW1



- RVS inbouwframe voor 2 video intercom modules

HIK-DS-KD-ACF2-S



- RVS opbouwframe voor 3 video intercom modules

HIK-DS-KD-ACW3/S

## IP CAMERA'S

## TOEBEHOREN CAMERA'S



- Rain shade

HIK-DS-1250ZJ



- Inclined ceiling mount

HIK-DS-1259ZJ



- Bullet camera power intake box

HIK-DS-1260ZJ



- Pendant mount

HIK-DS-1271ZJ-110



- Pendant mount

HIK-DS-1271ZJ-130-TRL



- Wall mount

HIK-DS-1272ZJ-110



HIK-DS-1272ZJ-110/BLACK



- Wall mount

HIK-DS-1272ZJ-110B

# TOEBEHOREN



- Wall mount

HIK-DS-1272ZJ-120B



- Wall mount

HIK-DS-1273ZJ-130B-TRL



- Wall mount

HIK-DS-1273ZJ-130-TRL



HIK-DS-1273ZJ-130-TRL-BLACK



- Wall mount

HIK-DS-1273ZJ-135



- Wall mount

HIK-DS-1273ZJ-140



- Wall mount

HIK-DS-1273ZJ-140B



- Vertical pole mount

HIK-DS-1275ZJ-S-SUS



- Vertical pole mount

HIK-DS-1275ZJ-SUS

# TOEBEHOREN



• Corner mount

HIK-DS-1276ZJ-SUS



• Junction box

HIK-DS-1280ZJ-DM18



• Junction box

HIK-DS-1280ZJ-DM18/BLACK



• Junction box

HIK-DS-1280ZJ-DM46



• Junction box

HIK-DS-1280ZJ-DM46-BLACK



• Junction Box

HIK-DS-1280ZJ-DM55



• Junction box

HIK-DS-1280ZJ-DM8



• Junction box

HIK-DS-1280ZJ-DM8-BLACK



Junction box

HIK-DS-1280ZJ-M

# TOEBEHOREN



• Junction Box

HIK-DS-1280ZJ-PT6



• Junction box

HIK-DS-1280ZJ-S



• Junction box

HIK-DS-1280ZJ-XS



• Junction box

HIK-DS-1280ZJ-XS/BLACK



• Inclined ceiling mount

HIK-DS-1281ZJ-M



• Pendant Mount

HIK-DS-1471ZJ-155



• Wall Mount

HIK-DS-1473ZJ-155



• Wall Mount

HIK-DS-1473ZJ-155B



• Vertical pole mount

HIK-DS-1475ZJ-SUS





## IP CAMERA'S

### BULLET CAMERA'S

#### 4MP



• 4MP network mini-bullet camera • AcuSense • DarkFighter • 2.8mm fixed Lens • IR LED up to 40m • WDR 120dB • IP67 • 12VDC/PoE

HIK-DS-2CD2046G2-I28C

+0.124 €Recupel



• 4MP network bullet camera • AcuSense • DarkFighter • 2.8mm fixed lens • IR LED up to 80m • WDR 120dB • IP67 • 12VDC/PoE

HIK-DS-2CD2T46G2-4I28C

+0.124 €Recupel

### TURRET CAMERA'S

#### 4MP



• 4MP network turret camera • AcuSense • 2.8mm fixed lens • IR LED up to 30m • WDR 120dB • Built-in microphone • IP67 • 12VDC/PoE

HIK-DS-2CD2343G2-IU28/BLACK

+0.124 €Recupel



• 4MP network turret camera • AcuSense • DarkFighter • 2.8-12mm varifocal motorized lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2H46G2-IZS28120C

+0.124 €Recupel

#### 8MP



• 8MP network turret camera • AcuSense • DarkFighter • 2.8-12mm motorized varifocal lens • IR LED up to 40m • WDR 120dB • IP66/IK10 • 12VDC/PoE

HIK-DS-2CD2H86G2-IZS28-120C

+0.124 €Recupel

## STAND ALONE RECORDERS

### NVR POE

#### 16CH/16POE



• H265+ NVR • Up to 16CH 8MP IP cameras • 2 SATA • POE

HIK-DS-7616NI-K2/16P

+0.1 €Recupel



• 16CH 1U 16POE AcuSense 4K NVR

HIK-DS-7616NXI-I2/16P/SC

+0.1 €Recupel

## CLOUD STORAGE

### CLOUD STORAGE CLOUD



• Cloud Storage • Up to 8-ch cloud storage with Hikvision cameras or DVRs/NVRs • Cloud storage videos support ANR (Automatic Network Replenishment) • Hik-ProConnect Platform • Manageable by Hik-ProConnect platform • Cloud storage videos support remote playback

HIK-DS-6700NI-S

## NETWERKSWITCHES

### UNMANAGED POE NETWERKSWITCH

8 Port Gigabit Unmanaged PoE Switch



HIK-DS-3E0510P-E/M

+0.124 €Recupel

# ALGEMENE VERKOOPSVOORWAARDEN

1. De volgende voorwaarden worden bij bestelling als onherroepelijk aanvaard. Andersluidende voorwaarden, uitgaande van de koper, worden als niet- bestaande beschouwd, behoudens schriftelijke instemming van de verkoper.
2. Indien de factuur, op verzoek van de besteller, op naam van een derde wordt uitgeschreven, dan blijft de besteller hoofdelijk en solidair met de derde gehouden ten opzichte van de verkoper, tot naleving van alle verbintenissen voortspuitend uit deze algemene verkoopsvoorwaarden.
3. Offertes en prijslijsten worden enkel als inlichting gegeven, maar kunnen nooit enige verbintenis meebrengen. De opgegeven prijzen zijn deze voor goederen afgehaald in onze magazijnen. Behoudens andersluidende bepalingen reizen de goederen op kosten en risico van de koper, welke ook het vervoermiddel weze.
4. Bestellingen met leveringstermijn van meer dan een maand worden slechts definitief na schriftelijke bevestiging en ondertekening door een gevolmachtigd lid van onze firma. Onze instelling draagt geen verantwoordelijkheid voor de stipte uitvoering van de haar toevertrouwde bestelling in gevallen van heirkraft zoals staking, lock-out, enz... De prijzen van de bestellingen worden aanvaard onder voorbehoud van alle gevallen van overmacht met inbegrip van abnormale prijsverhogingen, ons door de leveranciers opgelegd, In die gevallen zullen de bestellingen gefactureerd worden tegen de voorwaarden van de geldende prijslijst op het ogenblik van de levering, onafgezien de prijs waarvoor ze werden bevestigd of welke ook onze leveringstermijn moge zijn.
5. Iedere opgegeven leveringstermijn is slechts benaderend en de overschrijding ervan kan in geen geval aanleiding geven tot vernietiging van de bestelbon of tot schadevergoeding.
6. Klachten nopens de geleverde koopwaar moeten ons, om ontvankelijk te kunnen zijn, binnen de drie dagen na levering schriftelijk bekend gemaakt worden met verwijzing naar het nummer van de leveringsbons. Geen enkele terugname van goederen zal aanvaard worden zonder voorafgaand akkoord van onzentege. Daarenboven kunnen zij slechts teruggenomen worden zo de terugzending geschiedt in goede staat en in de oorspronkelijke verpakking. Eventuele teruggenomen goederen worden gecrediteerd met een vermindering van 30 % van de gefactureerde waarde.
7. Gezien onze functie van tussenpersoon beperkt de waarborg op de door ons geleverde goederen zich tot deze die ons werd toegekend door de fabrikant. Deze waarborg beperkt zich in elk geval tot de eenvoudige omwisseling van de stukken die fabricagefouten vertonen; geen enkele terugbetaling, vergoeding of schadeloosstelling zullen ons kunnen in rekening gebracht worden om welke reden ook. Het indienen van een klacht kan in geen geval uitstel of opschorting van betaling meebrengen.
8. In geval van vervanging van een toestel, om welke reden dan ook, is de verkoper niet verantwoordelijk voor de kosten of schade, veroorzaakt door het weghalen van het oude toestel. De verkoper is niet verantwoordelijk voor beschadiging aan toestellen tijdens hun verblijf op werven of gedurende de plaatsing door de installateur.
9. De aflevering geschiedt vóór de bouwplaats of de woning
10. De betaling dient contant te gebeuren bij levering, tenzij voorafgaandelijk en schriftelijk anders werd overeengekomen. Bij aflevering dient te worden betaald aan de afleverende vrachtwagenbestuurder. Bij afhaling dient te worden betaald aan de kas van het verkooppunt.
11. Onvolledige levering van een bestelling mag geen aanleiding geven tot weigering van betaling van de geleverde goederen. Gedeeltelijke factuur mag worden gemaakt naargelang de levering der goederen. De betaling van de facturen mag in geen geval afhankelijk gesteld worden van de werking of plaatsing van de toestellen.
12. Bij onverantwoorde niet-betaling op de vervaldag, en zonder ingebrekestelling, loopt een verwijsrente gelijk aan de wettelijke intrest +2%. Ingeval van gehele of gedeeltelijke niet betaling van de schuld op de vervaldag der factuur zonder ernstige redenen, wordt, na vergeefse ingebrekestelling, het schuldsaldo verhoogd met 15 %, met een minimum van € 50,00 en een maximum van € 1900,00 zelfs bij toekenning van termijnen van respijt.
13. De niet-betaling op haar vervaldag van een factuur maakt het verschuldigde saldo van alle, andere facturen van rechtswege onmiddellijk opeisbaar, onafgezien van de bij voorbaat toegestane betalingsvoorwaarden.
14. Wanneer de koper nalaat zijn verbintenissen uit te voeren, zal de verkoop van rechtswege en zonder ingebrekestelling ontbonden zijn. De wilsuiting hiertoe per aangetekend schrijven door de verkoper zal hiervoor volstaan. Indien de kredietwaardigheid van de koper verslechtert, behouden wij ons het recht voor, zelfs na gedeeltelijke verzending der goederen, van de koper de geschikte waarborgen voor de goede uitvoering der genomen verbintenissen te eisen. Indien de koper ons geen voldoening schenkt, hebben wij het recht de bestelling geheel of gedeeltelijk te annuleren.
15. Klachten over facturen worden enkel aanvaard wanneer ze schriftelijk binnen de tien dagen na ontvangst der factuur worden gemeld,
16. Onverminderd het risico van de koper met betrekking tot de goederen, behouden wij ons het eigendomsrecht op de geleverde goederen voor tot volledige betaling van de prijs. De betaalde voorschotten blijven de verkoper verworven ter vergoeding van de mogelijke verliezen bij wederverkoop.
17. De verkoper laat zich niet in, noch rechtstreeks noch onrechtstreeks, met het plaatsen van toestellen. Hij

# INHOUDSTAFEL

<b>PRO ACUSENSE</b>	<b>2</b>
IP CAMERA'S	2
STAND ALONE RECORDERS	7
<b>PRO COLORVU</b>	<b>8</b>
IP CAMERA'S	8
<b>PRO NVR</b>	<b>9</b>
STAND ALONE RECORDERS	9
CLOUD STORAGE	11
<b>HEATPRO</b>	<b>12</b>
BI-SPECTRUM CAMERA'S	12
<b>TRANSMISSION &amp; DISPLAY</b>	<b>13</b>
KEYBOARDS	13
MONITOREN	13
NETWERKSWITCHES	15
KABELS	16
<b>VIDEO INTERCOM</b>	<b>17</b>
2-DRAADS VIDEOFONIE	17
IP VIDEOFONIE	17
TOEBEHOREN VIDEOFONIE	19
<b>TOEBEHOREN</b>	<b>21</b>
IP CAMERA'S	21
<b>OUTLET</b>	<b>26</b>
IP CAMERA'S	26
STAND ALONE RECORDERS	27
CLOUD STORAGE	27
NETWERKSWITCHES	27



Brugsesteenweg, 257  
B-8500 Kortrijk

T +32 56 36 37 40  
F +32 56 36 08 12

[ras.contact@rassecurity.com](mailto:ras.contact@rassecurity.com)



Rue de Namur, 101  
B-6041 Gosselies

T +32 71 85 13 13



Langvoort, 53  
B-2430 Laakdal

T +32 14 14 10 61  
F +32 14 36 83 70



Doenaertstraat, 26  
B-8510 Marke

**RAS** bv - srl  
member of ALIA Security

[www.rassecurity.com](http://www.rassecurity.com)